

Subject Coverage	<ul style="list-style-type: none">Analytical chemistryApplied chemistryBiochemistry		<ul style="list-style-type: none">Chemical engineeringMacromolecular chemistryOrganic chemistry	
File Type	Bibliographic			
Features	Thesauri	Classification Code (/CC), Cooperative Patent Classification (/CPC), European Patent Classification (/ECLA), F-Term (/FTERM), ICO (in-computer-only) Classification (/ICO), International Patent Classifications (/IPC), National Patent Classifications Current (/NCL), and Role (/RL)		
	CAS Registry Number® Identifiers	<input checked="" type="checkbox"/>	Page Images	<input type="checkbox"/> STN® AnaVist™ <input type="checkbox"/>
	Keep & Share	<input checked="" type="checkbox"/>	SLART	<input checked="" type="checkbox"/> STN Easy® <input type="checkbox"/>
	Learning Database	<input checked="" type="checkbox"/>	Structures	<input checked="" type="checkbox"/>
Record Content	<ul style="list-style-type: none">LCA is a static, training database for learning how to use the CA databaseBibliographic information and available abstractsCited references for journals, conference proceedings, and basic patents from the US, EPO, WIPO, and German patent offices added to CAS databases since 1997Patent examiner citations from British and French patents (2003-present), Canadian patents (2005-present) as well as nearly 300,000 patent records from 1982-2008Citing referencesPatent classifications: IPC, CPC, ECLA, ICO, NCL and FTERM			
File Size	64,658 records (2/2016)			
Coverage	References from eight weekly issues of Chemical Abstracts (CA), two each from 1969, 1974, 1979 and 1984 (representing the 8th, 9th, 10th and 11th Collective Index periods), as well as references from LCASREACT (1987-1988). Additional records have been added to illustrate new features and functionality.			
Updates	None			
Language	English			
Database Producer	Chemical Abstracts Service 2540 Olentangy River Road P.O. Box 3012 Columbus, Ohio 43210-0012 USA Phone: 800-753-4227 (North America) Phone: 614-447-3700 (worldwide) Fax: 614-447-3751 Email: help@cas.org			

Sources	Journals, patents, technical reports, books, conference proceedings and dissertations from all areas of chemistry and chemical engineering worldwide.
User Aids	<ul style="list-style-type: none">• Search aids are available on the web: www.cas.org• Online Helps (HELP DIRECTORY lists all help messages available)• STNGUIDE
Clusters	LEARNING STN Database Clusters information (PDF).
Related Databases	<ul style="list-style-type: none">• CA• CAPLUS
Pricing	Enter HELP COST at an arrow prompt (=>).

Search and Display Field Codes

General Search Fields

Fields that allow left truncation are indicated by an asterisk (*)

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index * (contains single words from title (TI), supplementary terms (ST), index terms (IT), abstracts (AB), as well as CAS Registry Numbers)	None (or /BI or /IA)	S 50-21-5 S ?ASSAY? S MAGNETIC RECORD? S (WATER (S) OIL)/BI	AB, IT, ST, TI
Abstract *	/AB	S (WATER(1W)OIL)/AB S LD50/AB S HIGH TEMP?/AB S (HEPATITIS(S)ANTIGEN)/AB	AB
Accession Number Author (inventor)	/AN /AU	S 101:103341/AN S JONES D?/AU S (HEINEMAN W? (S) EDITOR#)/AU S ANON/AU S ET AL/AU	AN AU, IN
CA Section Cross-Reference (number and title) (1)	/SX	S 1/SX S ANALYTICAL/SX S ANALYTICAL CHEMISTRY/SX	CC
Classification Code (1,5) (contains CA section- subsection number, section title, and section group codes)	/CC (or /SC)	S 1/CC S 80-6/CC S TOXICOLOGY/CC S RADIATION CHEMISTRY/CC S L1 AND BIO/CC	CC
Controlled Term Controlled Word Corporate Source (1) (organization name and location)	/CT /CW /CS	S NEOPLASM INHIB?/CT S OPTIC?/CW S BAYER/CS S MERRELL DOW/CS S USA DOW/CS S DOW CHEM MIDLAND/CS S "DOW CORNING"?/CS	CT, IT CT, IT CS, PA
Country of Author Crossover Key (CODEN, volume, issue, first page) Digital Object Identifier	/CYA /CK /DOI (or /FTDOI)	S USA/CYA S JACSAT-109-3-862/CK S 10.1021/?/DOI	CS, CYA, PA CK DOI, FTDOI
Document Type (code and text)	/DT (or /TC)	S P/DT S PATENT/DT S REVIEW/DT	DT
Entry Date (2) Field Availability File Segment Index Term (3) International Standard (Document) Number (contains CODEN and ISSN)	/ED /FA /FS /IT /ISN	S 19881224/ED S L1 AND ABS/FA S BIO/FS AND L1 S 618-87-1 (S) DETN OF/IT S JOCEAH/ISN S 0008-4212/ISN	Not displayed Not displayed FS IT ISN, SO
Issue Number of Publication (2) Journal Title Language (code and text)	/IS /JT /LA	S 1-3/IS AND 32/VL S J ORG CHEM/JT S L1 AND EN/LA S L1 AND ENGLISH/LA S L1 NOT DE/LA	SO JT, SO LA
Other Source Publication Date (2)	/OS /PD	S L1 AND CASREACT/OS S PD>19880000 S JUNE 1987-SEPT 1987/PD	OS PI, SO
Publication Year (2)	/PY	S 1983-1984/PY	PI, PY, SO

General Search Fields (cont'd)

Search Field Name	Search Code	Search Examples	Display Codes
Publisher	/PB	S ACADEMIC/PB	PB
Role (5)	/RL	S 117638-28-5 (L) SPN/RL S 117638-28-5/SPN S NUCLEOSIDES (L) SPN/RL S NUCLEOSIDES/SPN	IT, RL
Source (contains publication title, date, publisher, conference title, meeting date, volume, issue, pagination, CODEN, and ISSN)	/SO	S INORG CHEM/SO S JOCRAM/SO S 0021-9673/SO S (AM CERAM SOC AND 67)/SO	SO
Supplementary Term Title *	/ST /TI	S LIVER METAB?/ST S LIVER/TI S THIN FILM/TI S (COMPTE(S)RENDU)/TI	ST TI
Update Date (2)	/UP	S 19880415/UP	Not displayed
Volume and Issue of CA	/VI	S 106-15/VI	Not displayed
Volume Number of Publication (2)	/VL	S 53-54/VL AND JOCEAH/SO	SO

(1) Search with implied (S) proximity is available in this field.

(2) Numeric search field that may be searched with numeric operators or ranges.

(3) There are no stopwords in this field.

(4) OREF contains the CA volume number and page location information for abstracts published 1907-1966.

(5) A thesaurus is available in this field.

Patent Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Cooperative Patent Classification (5,6)	/CPC	S C12N0009/CPC	CPC
Cooperative Patent Classification, Action Date	/CPC.ACD	S 20121113/CPC.ACD	CPC.TAB
Cooperative Patent Classification, Combination Sets	/CPC.CS	S (H01L2224-48091 (S) H01L2924-00014)/CPC.CS	CPC.TAB
Cooperative Patent Classification, Keywords (6)	/CPC.KW	S C12N0009/CPC (S) I/CPC.KW	CPC.TAB
Cooperative Patent Classification, Version	/CPC.VER	S 20130101/CPC.VER	CPC.TAB
Country Number Count (1)	/CYC	S L1 AND 4-5/CYC	CY.CNT
Designated States	/DS	S FR/DS;S R DE/DS	DS, PI
Designated States, Basic	/DS.B	S DE/DS.B	DS, PI
European Classifications (5)	/ECLA (or /EPC or /EPCLA)	S C01B003/ECLA S C01B003/00D2/ECLA	CLASS, ECLA, EPC, EPCLA
European Classification Keywords	/ECLA.KW (or /EPC.KW or /EPCLA.KW)	S A1F1/ECLA.KW	CLASS, ECLA, EPC, EPCLA
Family Accession Number Count (1)	/FAN.CNT	S L1 AND FAN.CNT>1	Count displayed
F-Terms (Patent Classifications from the Japanese Patent Office) (5)	/FTERM (or /FTCLA or /JPCLA)	S 4C002/BB03/FTERM S 4C002/FTERM	CLASS, FTERM, FTCLA, JPCLA
ICO (in-computer-only) Classification (5)	/ICO	S K61B0010:00L10/ICO	ECLA, EPC, EPCLA, ICO
International Patent Classification (includes Main and Secondary IPCs) (2,5)	/IC	S C07C/IC S C07C015/IC S C07C015-02/IC S CYANOGEN/IC	IC
International Patent Classification, Additional or Supplementary (2)	/ICA	S B01J/ICA S B01J027/ICA S ANTIBIOTIC/ICA	ICA

Patent Search Fields (cont'd)

Search Field Name	Search Code	Search Examples	Display Codes
International Patent Classification, Index or Complementary (2)	/ICI	S A61K/ICI S A61K031/ICI S ANTIBIOTIC/ICI	ICI
International Patent Classification, Main Group, Range Searchable (1)	/MGR	S 10-20/MGR (S) C07C/IC	IC
International Patent Classification, Secondary (2)	/ICS	S G02/ICS	ICS
International Patent Classification, Subgroup, Range Searchable (1)	/SGR	S SGR=>30000 (S) C01B031/IC	IC
Inventor Name	/IN	S PATTON JAMES W/IN	IN
National Patent Classification (5)	/NCL	S 106039000/NCL	NCL
National Patent Classification, Range Searchable (1)	/NCLR	S 106020000-106040000/NCLR	NCL
Patent Application Country	/AC	S DE/AC	AI, PI
Patent Application Country, Basic	/AC.B	S DE/AC.B	AI, PI
Patent Application Date (1)	/AD	S AD>19920100 S AD>JANUARY 20, 1993	AI, PI
Patent Application Date, Basic (1)	/AD.B	S 19840229/AD.B	AI, PI
Patent Application Number (3)	/AP	S EP83-304630/AP S 83EP-0304630/AP	AI, PI
Patent Application Number, Basic (3)	/AP.B	S JP83-98897/AP.B	AI, PI
Patent Application Year (1)	/AY	S 1990-1992/AY	AI, PI
Patent Application Year, Basic (1)	/AY.B	S AY.B>1983	AI, PI
Patent Assignee (4)	/PA	S PFIZER/PA S PFIZER CORP/PA S "PFIZER CHAS"?/PA	PA
Patent Country	/PC	S WO/PC	PI
Patent Country, Basic	/PC.B	S JP/PC.B	PI
Patent Kind Code	/PK	S DEA1/PK	PI
Patent Kind Code, Basic	/PK.B	S DEA1/PK.B	PI
Patent Number (3)	/PN	S EP69396/PN S EP-69396/PN S WO8402426/PN S JP04000106/PN S JP62000081/PN	PI
Patent Number, Basic (3)	/PN.B	S JP68020366/PN.B	PI
Patent Number Count (1)	/PNC	S 3/PNC	PN.CNT
Priority Application Country	/PRC	S US/PRC	PRAI
Priority Application Country, Basic	/PRC.B	S US/PRC.B	PRAI
Priority Application Date (1)	/PRD	S PRD>19910600 S JULY 1, 1991/PRD	PRAI
Priority Application Date Basic (1)	/PRD.B	S PRD.B>19820100	PRAI
Priority Application Number (3)	/PRN	S US91-686273/PRN S 91US-0686273/PRN	PRAI
Priority Application Number, Basic (3)	/PRN.B	S US83-561152/PRN.B	PRAI
Priority Application Year (1)	/PRY	S 1990-1992/PRY	PRAI
Priority Application Year, Basic (1)	/PRY.B	S 1982/PRY.B	PRAI
Publication Date (Patent, Basic) (1)	/PD.B	S 19660207/PD.B	PI
Publication Year (Patent, Basic) (1)	/PY.B	S 1965-1966/PY.B	PI
Update Date Patent Family (1)	/UPP	S DE3335588/PN AND UPP>19990100	PI

(1) Numeric search field that may be searched with numeric operators or ranges.

(2) This field contains the classifications and catchwords for main classification subject headings and subheadings from the current (6th) edition of the WIPO International Patent Classifications (IPC) manual. To search the classifications from any of the previous editions (1-5) of the IPC manual, use the field code followed by the edition number, e.g., /IC2, /ICA2, /ICS2, /ICM2, /ICI2 for the 2nd edition. Catchwords are included only in the fields for the 6th and 5th editions of the IPC manual.

(3) Either STN format or Derwent format may be used.

(4) Search with implied (S) proximity is available in this field.

(5) A thesaurus is available in this field.

(6) When searching combinations of CPC and CPC.KW data, use (T) proximity operator.

Citing References Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Citing Reference Accession Numbers Citing Reference Count Date Last Citing Reference Entered STN Update Date, Citing Reference	/OS.G (/OS.CITING.AN) /OSC.G (/CITING.CNT) /UPOS.G (/CITING.UP) /UPOG	S 2008:610804/OS.G S 2-5/OSC.G S 16 Feb 2009/UPOS.G S UPOS.G>20090216 S 20091026/UPOG	OS.G OSC.G UPOS.G UPOS.G

Super Search Fields

Enter a super search code to execute a search in one or more fields that may contain the desired information. Super search fields facilitate crossfile and multifile searching. EXPAND may not be used with super search fields. Use EXPAND with the individual field codes instead.

Search Field Name	Search Code	Fields Searched	Search Examples	Display Codes
Cooperative Patent Classification (1) International Patent Classifications	/CPC /IPC	/CPCI, /CPCR /IC,/ICA,/ICI	S C09K2200-0655/CPC S A61K/IPC S A61K049-02/IPC	CPC, CPCI, CPCR IC, ICA, ICI
Patent Application and Priority Number (1) Patent Application and Priority Number, Basic (1)	/APPS /APPS.B	/AP,/PRN /AP.B,/PRN.B	S DE84-3400096/APPS S 84DE-3400096/APPS S DE84-3400096/APPS.B	AI, PI, PRAI AI, PI, PRAI
Patent Countries Patent Countries, Basic Patent Numbers (1)	/PCS /PCS.B /PATS	/DS,/PC /DS.B,/PC.B /PN	S DE/PCS S AT/PCS.B S EP68822/PATS S EP-68822/PATS S WO8402426/PATS S JP04000106/PATS S JP62000081/PATS S WO8402426/PATS.B	DS, PI DS, PI PI, SO
Patent Numbers, Basic (1)	/PATS.B	/PN.B	S WO8402426/PATS.B	PI, SO

(1) Either STN format or Derwent format may be used.

CA Section (/CC) Thesaurus

The CA Section (/CC) thesaurus is available for records from 1907 to the present.

All Relationship Codes may be used with both the SEARCH and EXPAND command in the /CC thesaurus.

Code	Content	Examples
ALL	All associated terms (BT, SELF, NOTE, HNTE, OLD, CUR, REPL, NT)	E 57 CERAMICS, 1967 TO PRESENT+ALL/CC
BT	Broader Terms (BT, SELF)	E 1 PHARMACOLOGY, 1982 TO PRESENT+BT/CC
CUR	Current Terms (SELF, CUR)	E 1 PHARMACODYNAMICS, 1972-1981+CUR/CC
HIE	Hierarchy (Broader and Narrower Terms) (BT, SELF, NT)	E 31 ALKALOIDS, 1967 TO PRESENT+HIE/CC
HIS	History (SELF, HNTE, CUR, OLD, REPL)	E 17 FOOD AND FEED CHEMISTRY, 1982 TO PRESENT+HIS/CC
HNTE	History Note (SELF, HNTE)	E 1 PHARMACOLOGY, 1982 TO PRESENT+HNTE/CC
KT	Keyword Terms (SELF, KT)	E TOXICITY+KT/CC
NOTE	Notes associated with the term (SELF, NOTE, HNTE)	E 4 TOXICOLOGY, 1972 TO PRESENT+NOTE/CC
NT	Narrower Terms (SELF, NT)	E 4 TOXICOLOGY, 1972 TO PRESENT+NT/CC
RT	Related Terms (SELF, RT)	E 33 CARBOHYDRATES, 1967 TO PRESENT+RT/CC
STD	Standard (Broader Terms, Notes, Narrower Terms) (BT, SELF, HNTE, NOTE, NT)	E 32 STEROIDS, 1967 TO PRESENT+STD/CC
UF	Used For (Forbidden Terms) (SELF, UF)	E 32 STEROIDS, 1967 TO PRESENT+UF/CC
USE	Use (Preferred Terms) (SELF, USE)	E IMMUNOCHEMISTRY+USE/CC

CPC (/CPC) Thesaurus

The Cooperative Patent Classification (CPC) is jointly developed and maintained by the European Patent Office and the US Patent and Trademark Office. This thesaurus is available in the /CPC search field. All relationship codes can be used with both the EXPAND and SEARCH commands.

Relationship Code	Content	Search Examples
ALL	All usually required terms (BT, SELF, CODE, DEF)	E C12M0001-005+ALL/CPC
AUTO (1)	Automatic relationship (BT, SELF, CODE, DEF)	E G01J003-443+AUTO/CPC
BT	Broader terms (BT, SELF)	E G01J0003-443+BT/CPC
CODE	Classification Code (SELF, CODE)	E CARTRIDGES+CODE/CPC
DEF	Definition (SELF, DEF)	E B65G0045-16+DEF/CPC
HIE	Hierarchy terms (all broader and narrower terms) (BT, SELF, DEF, NT)	E A01B0001-00+HIE/CPC
KT	Keyword terms (SELF, KT)	E LASER+KT/CPC
MAX	All associated terms	E G01J0003-44+MAX/CPC
NEXT	Next classification within the same class (SELF, NEXT)	E A01B0001-24+NEXT/CPC
NEXT(n)	Next n classification within the same class	E A01B0001-24+NEXT3/CPC
NT	Narrower terms	E G05B0001-04+NT/CPC
PREV	Previous Code within the same class (SELF, PREV)	E G05B0019-00+PREV/CPC
PREV(n)	Previous n classifications within the same class	E G05B0019-00+PREV2/CPC
TI	Complete Title of SELF Term and Broader Terms (BT, SELF)	E G05B0001-03+TI/CPC

(1) Automatic Relationship is SET OFF. In case of SET REL ON the result of EXPAND or SEARCH without any relationship code is the same as described for AUTO.

European Patent Classification (/ECLA or /EPC) and ICO Thesauri

These thesauri are available in the /EPC search field (for ECLA codes) and /ICO search field (for in-computer-only codes). All relationship codes can be used with both the EXPAND and SEARCH commands.

Relationship Code	Content	Search Examples
ALL	All associated terms	E C12M0001-34H2+ALL/EPC
AUTO (1)	Automatic relationship (BT, SELF, CODE, DEF)	E G01J0003-443+AUTO/EPC
BT	Broader terms (BT, SELF, DEF)	E G01J0003-443+BT/EPC
CODE	Classification Code (SELF, CODE)	E SCRAPER BIASING MEANS+CODE/EPC
DEF	Definition (SELF, DEF)	E B65G0045-16+DEF/EPC
HIE	Hierarchy terms (all broader and narrower terms) (BT, SELF, DEF, NT)	E A01B0001+HIE/EPC
KT	Keyword terms (SELF, KT)	E LASER+KT/EPC
MAX	All associated terms	E G01J0003-44B+MAX/EPC
NEXT	Next classification within the same class (SELF, NEXT, DEF)	E A01B0001-24+NEXT/EPC
NEXT(n)	Next n classification within the same class	E A01B0001-24+NEXT3/EPC
NT	Narrower terms (SELF, NT, DEF)	E G05B0001-04+NT/EPC
PREV	Previous Code within the same class (PREV, SELF, DEF)	E G05B0019-418N1+PREV/EPC
PREV(n)	Previous n codes within the same class	E G05B0019-418N1+PREV2/EPC
TI	Complete Title of the SELF Term and Broader Terms (BT, SELF, DEF)	E G05B0001-03+TI/EPC

(1) Automatic Relationship is SET OFF. In case of SET REL ON the result of EXPAND or SEARCH without any relationship code is the same as described for AUTO.

F-Term Thesaurus

This thesaurus is available in the F-Term (/FTERM) field that contains patent classifications from the Japanese Patent Office in records from January 2004 to the present.

Code	Content	Example
ALL	All associated terms (BT, SELF, TI, NT)	E 4K001/AA16+ALL/FTERM
BRO(n) (1)	Browse n preceding and following Classifications	E 4K001/AA20+BRO3/FTERM
BT	Broader Terms (BT, SELF)	E 4K001/AA25+BT/FTERM
HIE	Hierarchy (BT, SELF, NT)	E 4K001/AA14+HIE/FTERM
NEXT(n) (1)	Next n Classifications	E 4K001/AA16+NEXT5/NCL
NT	Narrower Terms (SELF, NT)	E 4K001+NT/FTERM
PREV(n) (1)	Previous n Classifications	E 5K002+PREV3/FTERM
RT	Related term	E 4K001+RT/FTERM
TI	Complete Title of the SELF Term	E 4K001/AA07+TI/FTERM

(1) When using this code in the F-Term thesaurus, you must specify a number between 1-999 as shown in example.

IPC (/IC, /IC5, /IC1, etc.) Thesauri

The classifications and catchwords for the main headings and subheadings from the 6th edition of the WIPO International Patent Classification (IPC) manual are available in the following fields: /IC, /ICA, /IC1, /ICM, and /ICS. The classifications from the previous editions (1-5) are also available as separate thesauri. To EXPAND and SEARCH in the thesauri for editions 1-5, use the field code followed by the edition number, e.g., /IC2, ICA2, /ICS2, /ICM2, /IC12 for the 2nd edition. Catchwords are included only in the thesauri for the 6th and 5th editions.

Code	Content	Examples
ALL	All Associated Terms (BT, SELF, NT, RT)	E C01C003-00+ALL/IC
BT	Broader Terms (BT, SELF)	E C01F001-00+BT/IC
HIE	Hierarchy Terms (Broader and Narrower Terms) (BT, SELF, NT)	E C01C003-00+HIE/IC
KT	Keyword Terms (catchwords) (SELF, KT)	E CYANOGEN+KT/IC
NEXT	Next Classification	E C01C001-00+NEXT5/IC
NT	Narrower Terms	E C01C+NT/IC
PREV	Previous Classification	E C01C001-12+PREV10/IC
BRO (MAN)	Complete Class	E C01C+BRO/IC
RT (SIB)	Related Terms (SELF, RT)	E C01C003-20+RT/IC
TI	Complete Title of the SELF Term and Broader Terms (BT, SELF)	E C01F001-00+TI/IC

National Patent Classification Thesaurus

A thesaurus is present for the National Patent Classification (/NCL) fields.

Code	Content	Example
ALL	All associated terms (BT, SELF, TI, NT)	E 210190000+ALL/NCL
BRO(n)	Browse n preceding and following Classifications	E 502060000+BRO3/NCL
BT	Broader Terms (BT, SELF)	E 502060000+BT/NCL
HIE	Hierarchy (BT, SELF, NT)	E 502060000+HIE/NCL
KT	Keyword Terms (1) (SELF, KT)	E ZEOLITES+KT/NCL
NEXT(n)	Next n Classifications	E 210660000+NEXT5/NCL
NT	Narrower Terms (SELF, NT)	E 502060000+NT/NCL
PREV(n)	Previous n Classifications	E 210665000+PREV3/NCL
RT	Related Term	E 220+RT/NCL
TI	Complete Title of the SELF Term	E 502060000+TI/NCL

(1) Keyword terms are the catchwords corresponding to the USPTO Manual of Classifications subject index headings and subheadings.

Role (/RL) Thesaurus

The thesaurus is available for records from 1967 to the present.

Code	Content	Examples
ALL	All associated terms, including Notes (BT, SELF, NOTE, NT)	E SPN+ALL/RL
BT	Broader Terms (BT, SELF)	E CAT+BT/RL
HIE	Hierarchy Terms (Broader and Narrower Terms) (BT, SELF, NT)	E FFD+HIE/RL
NOTE	Any Notes (role definitions) (SELF, NOTE)	E IMF+NOTE/RL
NT	Narrower Terms (SELF, NT)	E USES+NT/RL

DISPLAY and PRINT Formats

Any combination of display formats listed below may be used to display answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI AU; D L1 1-5 TI, AU. The fields are displayed in the order requested.

The PRINT command is not valid in this file.

There are no display fees in this file.

Hit-term highlighting is available in all fields except FAN and FS. Highlighting must be on during SEARCH in order to use the FHITSTR, HIT, HITIND, HITRN, HITSTR, KWIC, and OCC display formats.

Format	Content	Examples
AB	Abstract Text	D TI AB
AI (AP) (1)	Patent Application Information	D AI PI
AI.B (AP.B) (1)	Patent Application Information, Basic	D AI.B
AN	Accession Number	D 1-5 AN
AU	Author Name	D AU, TI
CC (SC)	CA Classification Code (CA section and section cross-references)	D CC
CK (2)	Crossover Key (CODEN, volume, issue, first page)	D CK
CPC	Cooperative Patent Classification	D CPC
CPC.TAB	CPC, Tabular Display	D CPC.TAB
CPC.UNIQ	CPC codes unique for a basic patent and equivalents	D CPC.UNIQ
CPCI	CPC Initial Classification	D CPCI
CPCR	CPC Reclassification	D CPCR
CS	Corporate Source	D TI AU CS
CT (2)	Controlled Term	D CT
CUR (8)	Patent Currency Status	D CUR ALL
CYA (2)	Country of Author	D CYA
CYC (CY.CNT) (2)	Patent Country Count	D CYC
DOI (FTDOI)	Digital Object Identifier	D DOI
DS (2)	Designated States	D DS
DS.B (2)	Designated States, Basic	D DS.B
DT (TC)	Document Type	D DT
ECLA	Patent Family European Classifications associated with patent numbers	D ECLA
FS (2)	File Segment (Section Group)	D FS
FTERM	File Forming Terms from the Japanese Patent Office associated with patent numbers	D FTERM
GI (3)	Graphic Image or Graphic Image Information	D GI
IC	International Patent Classification, Main and Secondary	D PI IC
ICA	Additional or Supplementary IPC	D ICA
ICI	Index or Complementary IPC	D ICI
ICM	Main IPC	D ICM
ICO	ICO Classification	D ICO
ICS	Secondary IPC	D ICS
IN	Inventor Name	D IN
INCL	Issued National Classification	D INCL
IPCI	IPC Initial Classification	D IPCI
IPCR	IPC Reclassification	D IPCR
ISN (2)	International Standard (Document) Number	D ISN
IT (4)	Index Term and Role	D AN IT
JT (2)	Journal Title	D JT
JTA (2)	Journal Title, Abbreviated	D JTA
JTF (2)	Journal Title, Full	D JTF 1-3
LA	Language	D LA
LSUS (2)	Legal status information for U.S. patents	D LSUS
NCL	National Patent Classification	D AI PI IC NCL
OREF (7)	Original Reference Number	D OREF
OS	Other Source	D TI OS
OS.G	Citing Reference Accession Numbers	D OS.G
(OS.CITING.AN)		

DISPLAY and PRINT Formats (cont'd)

Format	Content	Examples
OSC.G (CITING.CNT) PA PB PI (1) PI.B (PN.B) (1,2) PN PNC (PN.CNT) (2) PRAI (PRN) (1) PRAI.B (PRN.B) (1,2) PY (2) PY.B (2) RE (7) RE.CNT (REC) (7) RL (4) RN (2) SO ST SX (2,5) TI	Citing Reference Count Patent Assignee Publisher Patent Information Patent Information, Basic Patent Number Patent Number Count Priority Application Information Priority Application Information, Basic Publication Year Publication Year, Basic Cited References Cited References Count Index Term and Role CAS Registry Number Source Supplementary Term (CA Keywords) CA Section Cross-Reference Code Title of Document	D OSC.G D PA D PB D TI PI D PI.B D PN D PNC D AI PRAI;D PRN D PRAI.B D TI PY D TI PY.B D TI RE D REC D RL D AN RN D TI AU SO D ST D TI SX DIS TI 1-10
UPOS.G (CITING.UP)	Date Last Citing Reference Entered STN	D OS.G
ABS (3) ALL (1,3,4) APPS (1) APPS.B (1,2) BIB (1) CAN CBIB CLASS CPC CPC.TAB CPC.UNIQ DALL (1,3,4) DMAX (1,3,4) FAM (1) FAN FBIB (1) IABS (3) IALL (1,3,4) IBIB (1) IMAX (1,3,4) IND (4) IPC IPC.TAB IPC.UNIQ ISTD (1) MAX (1,3,4) OBIB (1) OIBIB (1) OSG OSG.MAX OS.GMAX PATS (1)	GI, AB AN, OREF, TI, AU, IN, CS, PA, SO, DOI, DT, LA, FAN.CNT, INCL, PI, PRAI, CLASS, OS, GI, AB, CC, ST, IT, RL, OSC.G, UPOS.G, OS.G, RE, RE.CNT AI, PRAI AI.B, PRAI.B AN, OREF, TI, AU, IN, CS, PA, SO, DOI, DT, LA, FAN.CTN, PI, PRAI, OS, OSC.G, RE.CNT (BIB is the default) List of CA abstract numbers without answer numbers AN, plus Compressed Bibliographic Data Classifications (IPC, CPC, NCL, ECLA, and FTERM codes) associated with basic patent and family members CPCI, CPCR, for the basic patent and patent family members CPC, CPC.KW, CPC.ACD, CPC.VER in tabular format Deduplicated list of CPC codes for the patent family ALL, delimited for post-processing MAX, delimited for post-processing AN, FAN.CNT, PI for the accession number, plus PI for other family accession numbers Family Accession Number (AN, FAN.CNT, FAN) BIB plus PI for other family accession numbers ABS, with text labels ALL, indented with text labels BIB, indented with text labels MAX, indented with text labels INCL, IPCI, IPCR, CPCI, CPCR, NCL, ECLA, ICO, FTERM, CC, ST, IT, RL International Patent Classification (IC (ICS), ICA, ICI) IPC, Tabular Display IPC codes unique for a basic patent and equivalents STD, indented with text labels ALL, plus PI for other family accession numbers BIB, Original (AN, OREF, TI, AU, IN, CS, PA, SO, DOI, PI, PRAI, DT, LA, OS) OBIB, indented with text labels OSC.G, UPOS.G, OS.G (up to 50 accession numbers) OSC.G, UPOS.G, and OS.G (up to 1020 accession numbers) OS.G (up to 1020 accession numbers) SO, PI	D ABS D 1-30 ALL D APPS D APPS.B D 1,3 BIB D 1 3 D 1-10 CAN D L2 1 CBIB D CLASS D CPC D CPC.TAB D CPC.UNIQ D DALL D MAX D FAM D FAN D FBIB D IABS D IALL D IBIB D IMAX D TI IND D L2 1 IPC D IPC.TAB D IPC.UNIQ D ISTD D MAX D OBIB D OIBIB D OSG D OSG.MAX D OS.GMAX D PATS

DISPLAY and PRINT Formats (cont'd)

Format	Content	Examples
SAM (4) SCAN (6) STD (1) FHITSTR (4)	INCL, IPCI, IPCR, CPCI, CPCR, NCL, ECLA, ICO, CC, TI, ST, IT, RL NCL, IPCI, CPCI, CPCR, NCL, ECLA, ICO, FTERM, CC, TI, ST, IT fields will appear if available (random display, no answer numbers) AN, OREF, TI, AU, IN, CS, PA, SO, DOI, PB, DT, LA, FAN.CNT, PI, PRAI, CLASS, OS, OSC.G, RE.CNT First hit CAS Registry Number, its role, text modification, its CA index name, and the structure diagram	DIS SAM 1-5 D SCAN D STD D CBIB FHITSTR
CPC.HIT (HITCPC) HIT HITIND (4) HITRN (4) HITSTR (4) IPC.HIT (HITIPC) KWIC OCC	HIT display of CPC code searched Fields containing hit terms INCL, IPCI, IPCR, NCL, CC, ST, IT, RL containing hit terms Hit CAS Registry Number, its role, and text modification Hit CAS Registry Number, its role, text modification, its CA index name, and its structure diagram Hit IPC Hit terms plus 20 words on either side (Key-Word-In-Context) Number of occurrences of hit terms and fields in which they occur	D CPC.HIT or D HITCPC D HIT 1-5 D HITIND D HITRN D HITSTR KWIC D IPC.HIT or D HITPIC D 1-7 TI D OCC

- (1) By default, patent numbers, application and priority numbers are displayed in STN format. To display them in Derwent format, enter SET PATENT DERWENT at an arrow prompt. To reset display to STN format, enter SET PATENT STN.
- (2) Custom display only.
- (3) Structure diagrams in abstracts in the GI (Graphics Image) field are available only on graphics terminals and in offline prints.
- (4) By default, roles are displayed as codes and text. To suppress display of role codes and text, enter SET ROLES OFF. To display only codes, enter SET ROLES CODES.
- (5) SX displays all information in the CC field, i.e., CA section and section cross-references.
- (6) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.
- (7) No online display fee for this format.
- (8) CUR must be entered on the command line, e.g., D CUR. The patent status information displays before the requested records.

SELECT, ANALYZE, and SORT Fields

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract	AB	Y	N
Accession Number	AN	Y	N
Author	AU	Y	Y
CA Classification Code (section and subsection)	CC	Y	Y
CA Section Cross-Reference	SX	Y	Y
CAS Registry Number	RN	Y (2)	N
Citation	CIT	Y (3,4)	N
Cited References	RE	Y	N
Cited Reference Count	RE.CNT (REC)	Y	Y
Citing Reference Accession Numbers	OS.G (OS.CITING.AN)	Y	N
Citing Reference Count	OSC.G (CITING.CNT)	Y	Y
Citing Reference Date	UPOS.G (CITING.UP)	Y	Y
CODEN	CODEN	Y (5)	Y
Controlled Term	CT	Y	N
CPC Classification	CPC	Y	N

SELECT, ANALYZE, and SORT Fields (cont'd)

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
CPC, Initial	CPCI	Y	N
CPC, Reclassified	CPCR	Y	N
CPC Hit Display	CPC.HIT (HITCPC)	N	Y
CPC Codes Deduplicated for patent family	CPC.UNIQ	N	Y
Corporate Source	CS	Y	Y
Corporate Source, Division	CS.DIV	Y	N
Corporate Source, Organization	CS.ORG	Y	N
Country Name of Author	CYA	Y	Y
Crossover Key	CK	Y	Y
Designated States	DS	Y	N
Designated States, Basic	DS.B	Y (4,6)	N
Digital Object Identifier	DOI (FTDOI)	N	Y
Document Type	DT	Y	Y
European Classifications	ECLA (EPC, EPCLA)	Y	N
Family Accession Number	FAN	Y (4,7)	N
File Forming Terms	FTERM (FTCLA, JPCLA)	Y	N
File Segment	FS	Y (4)	Y
ICO Classification	ICO	Y	N
Index Term	IT	Y	N
International Standard (Document) Number	ISN	Y (8)	N
International Standard Serial Number	ISSN	Y (9)	Y
Inventor Name	IN	Y	Y
IPC	IPC	Y (10)	N
IPC, Additional or Supplementary	ICA	Y	Y
IPC, Index or Complementary	ICI	Y	Y
IPC, Main and Secondary	IC	Y	Y
IPC, Secondary	ICS	Y	Y
Journal Title	JT	Y	Y
Language	LA	Y	Y
National Patent Classification	NCL	Y	Y
Occurrence of Hit Terms	OCC	N	Y
Original Reference Number	OREF	Y (4,40)	N
Other Source	OS	Y	Y
Patent Application Country	AC	Y (4)	Y
Patent Application Country, Basic	AC.B	Y (4,11)	Y
Patent Application Date	AD	Y (4)	Y
Patent Application Date, Basic	AD.B	Y (12)	Y
Patent Application Information	AI	Y (4,13,14)	Y
Patent Application Information, Basic	AI.B	Y (4,14,15)	Y
Patent Application Number	AP	Y (4,14,14)	Y
Patent Application Number, Basic	AP.B	Y (4,14,15)	Y
Patent Application and Priority Number	APPS	Y (4,14,16)	N
Patent Application and Priority Number, Basic	APPS.B	Y (4,14,17)	N
Patent Application Year	AY	Y	Y
Patent Application Year, Basic	AY.B	Y (18)	Y
Patent Assignee	PA	Y	Y
Patent Countries	PCS	Y (4,19)	N
Patent Countries, Basic	PCS.B	Y (4,20)	N
Patent Country	PC	Y (4)	Y
Patent Country, Basic	PC.B	Y (4,21)	Y
Patent Country Count	CYC	Y (22)	N
Patent Information	PI	Y (4,14,23)	Y
Patent Information, Basic	PI.B	Y (14,24)	Y
Patent Kind Code	PK	Y (4)	Y
Patent Kind Code, Basic	PK.B	Y (4,25)	Y
Patent Number	PN	Y (4,14)	Y
	PATS	Y (4,14,26)	N
Patent Number, Basic	PN.B	Y (14,27)	Y
	PATS.B	Y (14,28)	N
Patent Number Count	PNC	Y (29)	N

SELECT, ANALYZE, and SORT Fields (cont'd)

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Priority Application Country	PRC	Y (4)	Y
Priority Application Country, Basic	PRC.B	Y (4,30)	Y
Priority Application Date	PRD	Y (4)	Y
Priority Application Date, Basic	PRD.B	Y (31)	Y
Priority Application Information	PRAI	Y (4,14,32)	Y
Priority Application Information, Basic	PRAI.B	Y (14,33)	Y
Priority Application Number	PRN	Y (4,14)	Y
Priority Application Number, Basic	PRN.B	Y (14,34)	Y
Priority Application Year	PRY	Y (4)	Y
Priority Application Year, Basic	PRY.B	Y (35)	Y
Publication Date	PD	Y (4)	Y
Publication Date, Basic	PD.B	Y (36)	Y
Publication Year	PY	Y	Y
Publication Year, Basic	PY.B	Y (37)	Y
Role	RL	Y (4)	N
Source of Document	SO	Y (38)	N
Supplementary Term	ST	Y	N
Title	TI	Y (default)	Y
Treatment Code	TC	Y (39)	Y

- (1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT RN.
- (2) Appends /BI to the terms created by SELECT.
- (3) Extracts first author, publication year, volume, and first page with a truncation symbol appended and with /RE appended to the terms created by SELECT.
- (4) SELECT HIT and ANALYZE HIT are not valid with this field.
- (5) Selects or analyzes the CODEN and appends /ISN to the terms created by SELECT.
- (6) Appends /DS to the terms created by SELECT.
- (7) Appends /AN to the terms created by SELECT.
- (8) Selects or analyzes the CODEN and ISSN and appends /ISN to the terms created by SELECT.
- (9) Selects or analyzes the ISSN and appends /ISN to the terms created by SELECT.
- (10) Selects or analyzes the IC, ICA, ICI and appends /IPC to the terms created by SELECT.
- (11) Appends /AC to the terms created by SELECT.
- (12) Appends /AD to the terms created by SELECT.
- (13) Selects or analyzes the Patent Application Number and appends /AP to the terms created by SELECT.
- (14) Enter SET PATENT DERWENT at an arrow prompt (=>) to SELECT or ANALYZE patent, application, and priority numbers in Derwent format.
- (15) Selects or analyzes Basic Patent Application Number and appends /AP to the terms created by SELECT.
- (16) Selects or analyzes the AP and PRN and appends /APPS to the terms created by SELECT.
- (17) Selects or analyzes Basic Application and Priority Numbers and appends /APPS to the terms created by SELECT.
- (18) Appends /AY to the terms created by SELECT.
- (19) Selects or analyzes the country codes from PI and DS and appends /PCS to the terms created by SELECT.
- (20) Selects or analyzes country codes from PI.B and DS.B and appends /PCS to the terms created by SELECT.
- (21) Appends /PC to the terms created by SELECT.
- (22) Appends /CY.CNT to the terms created by SELECT.
- (23) Selects or analyzes the Patent Number and appends /PN to the terms created by SELECT.
- (24) Selects or analyzes Basic Patent Number and appends /PN to the terms created by SELECT.
- (25) Appends /PK to the terms created by SELECT.
- (26) Selects or analyzes the Patent Number and appends /PATS to the terms created by SELECT.
- (27) Appends /PN to the terms created by SELECT.
- (28) Selects or analyzes Basic Patent Number and appends /PATS to the terms created by SELECT.
- (29) Appends /PN.CNT to the terms created by SELECT.
- (30) Appends /PRC to the terms created by SELECT.
- (31) Appends /PRD to the terms created by SELECT.
- (32) Selects or analyzes the Priority Application Number and appends /PRN to the terms created by SELECT.
- (33) Selects or analyzes Basic Priority Application Number and appends /PRN to the terms created by SELECT.
- (34) Appends /PRN to the terms created by SELECT.
- (35) Appends /PRY to the terms created by SELECT.
- (36) Appends /PD to the terms created by SELECT.
- (37) Appends /PY to the terms created by SELECT.
- (38) Selects or analyzes the CODEN and the ISSN and appends /SO to the terms created by SELECT.
- (39) Appends /DT to the terms created by SELECT.
- (40) Select or analyzes OREF and appends /AN to the terms created by SELECT.

Sample Records

DISPLAY IALL

ACCESSION NUMBER: 101:95170 LCA [Full-text](#)
ORIGINAL REFERENCE NO.: 101:14539a,14542a
ENTRY DATE: Entered STN: 15 Sep 1984
TITLE: Electrolytic treatment of ore slurry
INVENTOR(S): Neil, Thomas Harold
PATENT ASSIGNEE(S): Motif Traders Pty. Ltd., Australia
SOURCE: Pat. Specif. (Petty) (Aust.), 13 pp.
CODEN: AUXXDN
DOCUMENT TYPE: Patent
LANGUAGE: English
CLASSIFICATION: 54-2 (Extractive Metallurgy)
Section cross-reference(s): 72
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
AU 533833	B3	19840105	AU 1983-21087	19831108
PRIORITY APPLN. INFO.:			AU 1983-21087	19831108

PATENT CLASSIFICATION CODES:

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
-----	-----	-----
AU 533833	IPCI	C22B0003-00 [ICM]; C22B0015-00 [ICS]; C22B0023-04 [ICS]; C25C0001-08 [ICS]; C25C0001-12 [ICS]
	IPCR	C01G0051-00 [I]; C01G0053-00 [I]; C22B0003-26 [I]
	CPCI	C01G0051-003 [I]; C01G0053-003 [I]; C22B0003-0005 [I]; C22B0003-0098 [I]
	ECLA	C01G0051-00B; C01G0053-00B; C22B0003-00D2; C22B0003-00D4

ABSTRACT:

Metals are recovered from ore slurries by: adding NaOH and electrolyzing at high temperature; adding an alkali metal halide and continuing electrolysis to solubilize the metal values; and extracting the metal values by adsorption on activated C or by solvent extraction. The ore has a particle size of preferably -320 mesh. Thus, laterite serpentine ore containing 3.1% Ni was ground, slurried with water, and mixed with NaOH. The slurry was heated to 150°, and d.c. was applied at 15 V and 5-7 A for 5 h. NaCl and activated C were added, and electrolysis was continued at 12 V and 3-5 A for 12 h. The C was filtered and stripped with HNO₃. The Ni recovery was 87%.

SUPPL. TERM: metal recovery ore electrolysis; nickel recovery ore electrolysis; cobalt recovery ore electrolysis; electrolysis ore metal recovery; sodium hydroxide ore electrolysis; chloride sodium ore electrolysis

INDEX TERM: Metals, preparation
ROLE: PUR (Purification or recovery); PREP (Preparation)
(recovery of, from slurries by electrolysis)

INDEX TERM: 1310-73-2, uses and miscellaneous 7647-14-5, uses and miscellaneous
ROLE: USES (Uses)
(in metal recovery from ore slurries by electrolysis)

INDEX TERM: 7440-02-0P, preparation 7440-48-4P, preparation
ROLE: PUR (Purification or recovery); PREP (Preparation)
(recovery of, from slurries by electrolysis)

DISPLAY BIB

AN 109:230731 LCA [Full-text](#)
OREF 109:38153a,38156a
TI Synthesis and thermal reactions of cyano-stabilized cyclic sulfur ylides,
2-alkyl-1-cyano-3,4-dihydro-1H-2-thionianaphthalen-1-ides
AU Hori, Mikio; Kataoka, Tadashi; Shimizu, Hiroshi; Kataoka, Masahiro;
Tomoto, Akihiko; Kishida, Masato; Ikemori, Megumi; Hanai, Kazuhiko; Kuwae,
Akio
CS Gifu Pharm. Univ., Gifu, 502, Japan
SO Chemical & Pharmaceutical Bulletin (1988), 36(5), 1698-706
CODEN: CPBTAL; ISSN: 0009-2363
DOI 10.1248/cpb.36.1698
DT Journal
LA English
OS CASREACT 109:230731
OSC.G 3 THERE ARE 3 CAPLUS RECORDS THAT CITE THIS RECORD (3 CITINGS)

DISPLAY FBIB

AN 101:103253 LCA
OREF 101:15611a,15614a
TI Liquid chromatograph
IN Nakamoto, Akira; Saito, Katsuhiko
PA Shimadzu Corp., Japan
SO Eur. Pat. Appl., 24 pp.
CODEN: EPXXDW
DT Patent
LA English
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	----	-----	----
PI	EP 106009	A1	19840425	EP 1983-101996	19830301
	EP 106009	B1	19870128		
	R: DE, FR, GB			JP 1982-98345U	U 19820629

PATENT FAMILY INFORMATION:

FAN 101:47887

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	----	-----	----
PI	US 4448692	A	19840515	US 1983-470553	19830228
				JP 1982-31411	A 19820227
				JP 1982-98345U	U 19820629
	JP 58148958	A	19830905	JP 1982-31411	19820227
	JP 02025463	B	19900604		
	CA 1186166	A1	19850430	CA 1983-422472	19830225
				JP 1982-31411	A 19820227
				JP 1982-98345U	U 19820629


DISPLAY CBIB HITSTR

101:83938 Original Reference No. 101:12777a,12780a Is the estimation of GABA turnover rate in vivo a tool to differentiate between various types of drugs interfering with the GABA/benzodiazepine/ionophore receptor complex?. Bernasconi, R.; Bittiger, H.; Schmutz, M.; Martin, P.; Klein, M. (Pharm. Div., Ciba-Geigy Ltd., Basel, CH 4002, Switz.). Neuropharmacology, 23(7B), 815-16 (English) 1984. CODEN: NEPHBW. ISSN: 0028-3908.

IT 77779-60-3
RL: BIOL (Biological study)
(GABA metabolism by brain response to, benzodiazepine-GABA-ionophore receptor interaction in relation to)

RN 77779-60-3 LCA

CN 3H-Pyrazolo[4,3-c]quinolin-3-one, 2,5-dihydro-2-phenyl- (CA INDEX NAME)



EXPAND in /RL Thesaurus

=> E USES+ALL/RL

E1 12605 --> USES/RL
E2 12605 Uses/RL

NOTE Vol. 66 (1967) to present - Assigned to a substance in studies reporting new or novel uses and applications of the substance. USES roles are assigned only when the application is demonstrated, claimed, or clearly intended, not for a well-known use or function of the substance. Patents imply usefulness and purpose, thus USES roles are assigned for a claimed use, as well as for demonstrated uses in examples.

E3	202	NT1	AGR/RL
E4	16	NT1	ARG/RL
E5	202	NT1	Agricultural Use/RL
E6	16	NT1	Analytical Reagent Use/RL
E7	4	NT1	BUU/RL
E8	4	NT1	Biological Use, Unclassified/RL
E9	1485	NT1	CAT/RL
E10	3	NT1	COS/RL
E11	0	NT1	CUS/RL
E12	1485	NT1	Catalyst Use/RL
E13	0	NT1	Combinatorial Use/RL
E14	3	NT1	Cosmetic Use/RL
E15	271	NT1	DEV/RL
E16	0	NT1	DGN/RL
E17	271	NT1	Device Component Use/RL
E18	0	NT1	Diagnostic Use/RL
E19	15	NT1	FFD/RL
E20	15	NT1	Food or Feed Use/RL
E21	191	NT1	MOA/RL
E22	191	NT1	Modifier or Additive Use/RL
E23	23	NT1	NUU/RL
E24	23	NT1	Other Use, Unclassified/RL
E25	18	NT1	POF/RL
E26	18	NT1	Polymer in Formulation/RL
E27	576	NT1	TEM/RL
E28	247	NT1	THU/RL
E29	576	NT1	Technical or Engineered Material Use/RL
E30	247	NT1	Therapeutic Use/RL

***** END *****

EXPAND in /IC Thesaurus

=> E C01C003-00+ALL/IC

E1 2 BT4 C/IC
SECTION C - CHEMISTRY; METALLURGY
Note
In section C, the definitions of groups of chemical elements are as follows:
Alkali metals: Li, Na, K, Rb, Cs, Fr
Alkaline earth metals: Ca, Sr, Ba, Ra
Lanthanides: elements with atomic numbers 57 to 71 inclusive
Rare earths: Sc, Y, Lanthanides
Actinides: elements with atomic numbers 89 to 103 inclusive
Refractory metals: Ti, V, Cr, Zr, Nb, Mo, Hf, Ta, W
Halogens: F, Cl, Br, I, At
Noble gases: He, Ne, Ar, Kr, Xe, Rn
Platinum group: Os, Ir, Pt, Ru, Rh, Pd
Noble metals: Ag, Au, Platinum group
Light metals: alkali metals, alkaline earth metals, Be, Al, Mg
Heavy metals: metals other than light metals
Iron group: Fe, Co, Ni
Non-metals: H, B, C, Si, N, P, O, S, Se, Te, noble gases, halogens
Metals: elements other than non-metals
Transition elements: elements with atomic numbers 21 to 30 inclusive, 39 to 48 inclusive, 57 to 80 inclusive, 89 upwards
Notes
The following notes are meant to assist in the use of this part of the classification scheme. They must not be read as modifying in any way the elaborations.
(1) Section C covers :
(a) pure chemistry, which covers inorganic compounds, organic compounds, macromolecular compounds, and their methods of preparation;
(b) applied chemistry, which covers compositions containing the above compounds, such as: glass, ceramics, fertilisers, plastics compositions, paints, products of the petroleum industry. It also covers certain compositions on account of their having particular properties rendering them suitable for certain purposes, as in the case of explosives, dyestuffs, adhesives, lubricants, and detergents;
(c) certain marginal industries, such as the manufacture of coke and of solid or gaseous fuels, the production and refining of oils, fats and waxes, the fermentation industry (e.g., brewing and wine-making), the sugar industry;
(d) certain operations or treatments, which are either purely mechanical, e.g., the mechanical treatment of leather and skins, or partly mechanical, e.g., the treatment of water or the prevention of corrosion in general;
(e) metallurgy, ferrous or non-ferrous alloys.
(2) -
(a) In the case of operations, treatments, products or articles having both a chemical and a non-chemical part or aspect, the general rule is that the chemical part or aspect is covered by section C.
(b) In some of these cases, the chemical part or aspect brings with it a non-chemical one, even though

purely mechanical, because this latter aspect either is essential to the operation or treatment or constitutes an important element thereof. It has seemed, in fact, more logical not to dissociate the different parts or aspects of a coherent whole. This is the case for applied chemistry and for the industries, operations and treatments mentioned in Notes (1)(c), (d) and (e). For example, furnaces peculiar to the manufacture of glass are covered by class C03 and not by class F27.

(c) There are, however, some exceptions in which the mechanical (or non-chemical) aspect carries with it the chemical aspect, for example:

- Certain extractive processes, in subclass A61K;
- The chemical purification of air, in subclass A61L;
- Chemical methods of fire-fighting, in subclass A62D;
- Chemical processes and apparatus, in class B01;
- Impregnation of wood, in subclass B27K;
- Chemical methods of analysis or testing, in subclass G01N;

- Photographic materials and processes, in class G03, and, generally, the chemical treatment of textiles and the production of cellulose or paper, in section D.

(d) In still other cases, the pure chemical aspect is covered by section C and the applied chemical aspect by another section, such as A, B or F, e.g., the use of a substance or composition for:

- treatment of plants or animals, covered by subclass A01N;
- foodstuffs, covered by class A23;
- ammunition or explosives, covered by class F42.

(e) When the chemical and mechanical aspects are so closely interlocked that a neat and simple division is not possible, or when certain mechanical processes follow as a natural or logical continuation of a chemical treatment, section C may cover, in addition to the chemical aspect, a part only of the mechanical aspect, e.g., after-treatment of artificial stone, covered by class C04. In this latter case, a note or a reference is usually given to make the position clear, even if sometimes the division is rather arbitrary.

E2 0 BT3 C0/IC
CHEMISTRY

E3 0 BT2 C01/IC
INORGANIC CHEMISTRY (processing powders of inorganic compounds preparatory to the manufacturing of ceramic products C04B035-00; fermentation or enzyme-using processes for the preparation of elements or inorganic compounds except carbon dioxide C12P003-00; obtaining metal compounds from mixtures, e.g. ores, which are intermediate compounds in a metallurgical process for obtaining a free metal C21B, C22B; production of non-metallic elements or inorganic compounds by electrolysis or electrophoresis C25B)

Notes

(1) In this class, in the absence of an indication to the contrary, a compound is classified in the last appropriate place. (3)

(2) Processes using enzymes or micro-organisms in order to:

(i) liberate, separate or purify a pre-existing compound or composition, or to

(ii) treat textiles or clean solid surfaces of materials

are further classified in subclass C12S. (5)

E4 21 BT1 C01C/IC
AMMONIA; CYANOGEN; COMPOUNDS THEREOF (salts of oxyacids of halogens C01B011-00; peroxides, salts of peroxyacids

C01B015-00; thiosulfates, dithionites, polythionates
 C01B017-64; compounds containing selenium or tellurium
 C01B019-00; azides C01B021-08; metal amides
 C01B021-092; nitrites C01B021-50; phosphides
 C01B025-08; salts of oxyacids of phosphorus C01B025-16;
 compounds containing silicon C01B033-00; compounds
 containing boron C01B035-00)

Note

Therapeutic activity of compounds is further
 classified in subclass A61P. (7)

```

E5      1  -->  C01C003-00/IC
              Cyanogen; Compounds thereof
                                ( IPC EDITION:  1-7 )
E6      2  NT1  C01C003-02/IC
              . Preparation of hydrogen cyanide
                                ( IPC EDITION:  1-7 )
E7      0  NT2  C01C003-04/IC
              . . Separation from gases
                                ( IPC EDITION:  1-7 )
E8      0  NT1  C01C003-06/IC
              . Stabilisation of hydrogen cyanide
                                ( IPC EDITION:  1-7 )
E9      0  NT1  C01C003-08/IC
              . Simple or complex cyanides of metals
                                ( IPC EDITION:  1-7 )
E10     1  NT2  C01C003-10/IC
              . . Simple alkali metal cyanides (3)
                                ( IPC EDITION:  1-7 )
E11     0  NT2  C01C003-11/IC
              . . Complex cyanides (3)
                                ( IPC EDITION:  2-7 )
E12     0  NT2  C01C003-12/IC
              . . Simple or complex iron cyanides (2)
                                ( IPC EDITION:  1-7 )
E13     0  NT1  C01C003-14/IC
              . Cyanic acid; Salts thereof
                                ( IPC EDITION:  1-7 )
E14     0  NT1  C01C003-16/IC
              . Cyanamide; Salts thereof (dicyandiamide C07C279-28)
                                ( IPC EDITION:  1-7 )
E15     0  NT2  C01C003-18/IC
              . . Calcium cyanamide
                                ( IPC EDITION:  1-7 )
E16     0  NT1  C01C003-20/IC
              . Thiocyanic acid; Salts thereof
                                ( IPC EDITION:  1-7 )
  
```

***** END *****

In North America
 CAS
 STN North America
 P.O. Box 3012
 Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Center:
 Phone: 800-753-4227 (North America)
 614-447-3731 (worldwide)
 E-mail: help@cas.org
 Internet: www.cas.org

In Europe
 CAS Customer Center EMEA
 Represented by
 FIZ Karlsruhe - Leibniz-Institute for Information Infrastructure
 Hermann-von-Helmholtz-Platz 1
 76344 Eggenstein-Leopoldshafen
 Germany

Phone: +49-721-9588 3155
 E-mail: EMEAhelp@cas.org
 Internet: www.fiz-karlsruhe.de

In Japan
 JAICI (Japan Association for
 International Chemical Information)
 STN Japan
 Nakai Building
 6-25-4 Honkomagome, Bunkyo-ku
 Tokyo 113-0021, Japan
 Phone: +81-3-5978-3601 (Technical Service)
 +81-3-5978-3621 (Customer Service)
 E-mail: support@jaici.or.jp (Technical Service)
 customer@jaici.or.jp (Customer Service)
 Internet: www.jaici.or.jp