

CAS STNEXT<sup>®</sup>

# Overview on current issues in ReaxysfileSub Database.

Last update: June 2025

This document summarizes all known issues that can affect the results of structure searches in the ReaxysfileSub database.


If you need support concerning your structure query or regarding ReaxysfileSub in general, please contact [EMEAhelp@cas.org](mailto:EMEAhelp@cas.org).

# 1. Within rings only one repeating group (rpg) per ring is allowed

In case of two or more repeating groups within the same ring incorrect results are obtained.


There is no workaround other than drawing out all possible combinations for every additional repeating group.

Example:



## 2. Only one variable point of attachment (vpa) per ring is allowed

Currently not recommended is, e.g., the following structure query:



Not all possible combinations are retrieved.

### 3. Stereo search is not working correctly

To ensure completeness of searches it is recommended to use “flat” structures.

## 4. Usage of generic ring and chain nodes via variable attachment points (VPA) can lead to incorrect results




The problem only applies to directly VPA connected generic ring or chain nodes (example A). If there is at least one atom in the VPA between the generic ring or chain node and the main molecule, the problem does not exist (example B).

The following nodes are affected:

- Cy, Cb, Hy, CYC, ARY, HEA, HET, HEF
- Ak, CHK, CHE, CHK

The only practicable workaround for this issue is to use the respective individual structures encoded in the VPA query (example C).

Examples:






## 5.R-groups within repeating groups may lead to incomplete results

The variants within R groups within repeating groups do not provide mixed results but only results of one of the occurring variants.

Examples:

Query structure A with  $R1=C,O$  does only yield results with either C's (example B) or O's but not mixed results (example C).


The only practicable workaround is to search for structures with mixed variants separately as individual structures.



## 6. Avoid “Ak-C” moiety in structure searches


- Query structures which contain an **Ak** carbon chain node **adjacent to a specific carbon** (both moieties optionally substituted) may lead to **incorrect results** in Reaxysfilesub.
- Instead, **only the Ak node alone should be used**.
- **Example:** SSS full search
  - Incorrect results for *moiety type A*
  - Correct results for *moiety type B*

*moiety type A*



Reaxysfilesub: 0

*moiety type B*



Reaxysfilesub: 1166

*Search was carried out on July 1 2025*

Solution images are included for illustrative purposes only. Your experience may vary based on recent enhancements or product license.





CAS is a leader in scientific information solutions, partnering with innovators around the world to accelerate scientific breakthroughs. CAS employs over 1,400 experts who curate, connect, and analyze scientific knowledge to reveal unseen connections. For over 100 years, scientists, patent professionals, and business leaders have relied on CAS solutions and expertise to provide the hindsight, insight, and foresight they need so they can build upon the learnings of the past to discover a better future. CAS is a division of the American Chemical Society.

**Connect with us at [cas.org](https://cas.org)**

